

C-Touch Colour Touch Screen



5080CTC / 5050CTC Series

The C-Touch Colour Touch Screen provides a wall mounted, 6.4 inch, touch sensitive LCD screen for controlling and monitoring a Clipsal C-Bus® system from one location. The unit connects directly to a C-Bus® network via the dedicated RJ-45 sockets on the rear of the unit. It is fully compatible with all C-Bus® units, such as C-Bus® wall switches and dimmers, and can be used in existing or new C-Bus® installations.

The unit can be programmed to display pages of graphical items, such as buttons, sliders and images. These graphical items perform C-Bus® related functions when pressed. The unit includes a real time clock for automatic scheduling of events based on the time of day, week, month or year. The touch screen allows control via an Infrared hand-held remote control unit.

The C-Touch Colour Touch Screen interface can be customised to suit all user specific requirements. This is achieved using the Microsoft Windows™ compatible 'PICED' configuration software, freely downloadable from the Clipsal Integrated System's web site. This software is 'drag and drop' based, and also includes a fully programmable Logic Engine that allows the installer to program complex logic based (if-then-else) control into a touch screen configuration.

Available in Neo and Saturn Glass style surrounds, the Colour Touch Screen is aesthetically appealing and an extremely functional addition to the comprehensive range of Clipsal C-Bus® products.

clipsal.com/cis

Features - General

- Connects directly to a C-Bus® network, no external C-Bus® PC Interface required
- Controls and Monitors devices connected to C-Bus® and RS-232 (Custom RS-232 support via the included logic programming language)
- On-board audio supports external speakers
- Programmable via Ethernet
- Real time clock (astronomical)
- 256Mb Compact Flash factory programmed with Touch Screen firmware.

Features - Software

- GUI based drag and drop configuration software, plus freeform logic programming language
- Software interface design supports 101 levels of alpha blending
- Animated buttons with more than 256 animation frames supported
- Fully customisable graphics including bar graphs, sliders, percentage indicators, images, gauges and clocks with any border and background style
- Supports project theme templates
- Audio WAV file support
- Scene control
- Event scheduling support
- Astronomical clock support
- Irrigation control
- Password access control
- Support for logic programming language.

Product Specifications

Screen Type	LCD active matrix
Screen Size	6.4 inch (diagonal)
Screen Resolution	VGA, 640 x 480 pixels
Pixel Pitch	0.204mm(H) x 0.202mm(V)
Screen Viewing Area	130.6mm(H) x 97.0mm(V)
Touch Overlay Type	Resistive membrane
Viewing Angle	Horizontal: typical. 70° left and right Vertical: typical. 40° up, 70° down
Luminance	300cd/m ²
Backlight	Cold Cathode with light sensor for automatic backlight level control
Memory	256MB Compact Flash, factory programmed with panel firmware
Front Panel	· Ethernet 10/100 Port · RJ-45 port (under fascia) · Speaker (under fascia) · Infrared receive
Rear Connectors	· C-Bus RJ-45 connectors, x 2 · Ethernet 10/100 Port: RJ-45 port for communication · Composite video output via RCA socket (75ohm) · RS232 via DB 9 connector · 2 x USB (type A connectors) for future software support · Remote IR input (hardwired via 3.5mm mini-jack) · External Speaker/ Headphone Connector (3.5mm mini-jack)
Enclosure	Moulded Faradex
Fascia	Saturn Style: Glass Neo Style: ABS
Power	<5A @ 5V d.c. (Power pack ordered separately)
Dimensions (WHD)	246mm x 173mm x 72.5mm

Product Range

Catalogue	Number Description
5080CTC, GF	C-Bus® Colour Touch Screen, 6.4 inch screen, Saturn Glass style, White
5080CTC-680	C-Bus® Colour Touch Screen, 6.4 inch screen, Saturn Glass style, Black
5080CTC-380	C-Bus® Colour Touch Screen, 6.4 inch screen, Saturn Glass style, Cream
5080CTC-780	C-Bus® Colour Touch Screen, 6.4 inch screen, Saturn Glass style, Mid-Brown
5050CTC, GB	C-Bus® Colour Touch Screen, 6.4 inch screen, Neo style, Battleship Grey and Brushed Aluminum
5050CTC, WE	C-Bus® Colour Touch Screen, 6.4 inch screen, Neo style, White
5050CTC, BK	C-Bus® Colour Touch Screen, 6.4 inch screen, Neo style, Black
5050CTC-28	C-Bus® Colour Touch Screen, 6.4 inch screen, Neo style, White and Brushed Aluminum

Product of Clipsal Australia Pty. Ltd.

A member of the Schneider Electric Group.

Head Office

12 Park Terrace, Bowden
 South Australia 5007
 PO Box 103 Hindmarsh
 South Australia 5007

Telephone +61 8 8345 9500
 Facsimile +61 8 8346 0845
 Internet www.clipsal.com/cis
 E-Mail cis@clipsal.com.au

CIS Technical Support Hotline:
 1300 722 247

Customer Service Enquiries:
1300 2025 25

National Customer Service Facsimile:
1300 2025 56

International Enquiries

International Sales and Marketing

Telephone +61 8 8269 0587
 Facsimile +61 8 8340 7350
 E-Mail export@clipsal.com.au

New Zealand

Clipsal Industries (NZ) Ltd
 Telephone +64 9 576 3403

Malaysia

Clipsal Integrated Systems (M) Sdn Bhd
 Telephone +60 3 7665 3555

Singapore

Clipsal Integrated Systems Pte Ltd
 Telephone +65 6415 3232/3233

China

Clipsal China Limited
 Telephone +86 755 8237 5959

Greece

Schneider Electric AE
 Telephone +30 69 4646 3200

Hong Kong

Clipsal Integrated Systems (HK) Limited
 Telephone +852 2487 0261

India

Schneider Electric India Pvt Ltd
 Telephone +91 11 5159 0000

Indonesia

PT Clipsal Graha Nusa
 Telephone +62 21 630 6430

Korea

Clipsal Korea Co. Ltd
 Telephone +82 549 5550

Pakistan

Clipsal Pakistan (Pvt) Ltd
 Telephone +92 21 506 7278

Philippines

Clipsal Philippines Inc.
 Telephone +632 683 0275-78

South Africa

Clipsal South Africa (Pty) Ltd
 Telephone +27 11 314 5200

Taiwan

Clipsal (Taiwan) Co Ltd
 Telephone +886 2 2558 3456

Thailand

Clipsal Thailand Ltd
 Telephone +66 2 952 5338-42

United Arab Emirates

Clipsal Middle East
 Telephone +971 6 5570 777

United Kingdom

Clipsal Integrated Systems
 C/o Schneider Electric
 Telephone +44 870 608 8 608

Vietnam

Clipsal - VTEC
 Telephone +848 856 3002



Clipsal Australia Pty Ltd reserves the right to change specifications, modify designs and discontinue items without incurring obligation and whilst every effort is made to ensure that descriptions, specifications and other information in this catalogue are correct, no warranty is given in respect thereof and the company shall not be liable for any error therein.

© Clipsal Australia Pty Ltd.

The identified trademarks and copyrights are the property of Clipsal Australia Pty Ltd unless otherwise noted.